

General Specifications: TuffTec Plastic Lockers

PART 1 - GENERAL

1.01 Submittals

- A. Shop Drawings: Drawings shall be submitted showing individual locker construction and overall dimensions. Complete installation instructions shall be included.
- B. Colors shall be selected from manufacturers listing of available colors.
- C. Colors samples shall be submitted for approval by the architect upon request.

1.02 Product Handling

- A. Locker components shall be stored flat until assembly. All finishes shall be protected from soiling and damage during handling.

PART 2 - PRODUCTS

2.01 Manufacturer

- A. Solid plastic lockers to be manufactured by COMTEC INDUSTRIES, 801 Corey Street, Moosic, PA 18507, or approved equal.

2.02 Materials

- A. Solid plastic lockers to be manufactured by COMTEC INDUSTRIES, 801 Corey Street, Moosic, PA 18507. These specifications will be regarded as minimum.
- B. Locker components shall be made of high impact, high density polyethylene (HDPE) formed under high pressure into solid plastic components with homogeneous color throughout. Components shall have machined edges to accept assembly brackets.
- C. Locker sides, top, bottom, shelf and back shall be constructed with 1/2" thick HDPE.
- D. Security box shall be constructed of 3/8" thick HDPE sides, top, bottom and back and 1/2" door.
- E. Foot locker shall be constructed with a 1/2" thick HDPE seat and a 1" thick HDPE front.
- F. Assembly brackets shall be full depth, width and height of lockers. Brackets shall be made from PVC plastic and snap-fit assembled onto locker side, backs and tops. The snap-fit design offers a continuous connection between components.
- G. All HDPE doors, sides, tops, backs, shelves, seats, and doors shall have a smooth

"orange peel" finish. All components shall be of the same color as selected from Comtec's full color line.

H. Clothing rod shall be made from clear anodized aluminum.

2.03 Fabrication

A. Locker components shall be fabricated square and rigid with a finish free of scratches and chips. All exposed sides shall be covered with a protective masking.

B. Solid plastic locker components shall snap together for easy assembly and shall provide a solid and secure construction.

PART 3 - EXECUTION

3.01 Preparation

A. Examine areas to receive lockers for discrepancies from plan.

B. Install lockers at the location shown in accordance with the manufacturers instructions for plumb, level, rigid and flush installations.

C. Anchor the units to the wall blocking using fasteners provided.

D. Number plates shall be available for field or factory mounting.

PART 4 - WARRANTY

Manufacturer shall warranty lockers for a period of 15 years the HDPE plastic panels, doors, and shelves against rust and other types of corrosion, delamination, or breakage under normal use.

NOTE: Manufacturer reserves the right to modify the design and/or change specifications without prior notice.



Voice: 1-800-667-0677, Fax: 1-800-663-6338, E-Mail: dizard@dizard.com

Size Chart: TuffTec Lockers

One Tier

(shown with optional base & sloped top)

W"	D"	H"
12	12	36,48,60,72
12	15	36,48,60,72
12	18	36,48,60,72
15	12	36,48,60,72
15	15	36,48,60,72
12	18	36,48,60,72
18	12	36,48,60,72
18	15	36,48,60,72
18	18	36,48,60,72



Two Tier

W"	D"	H"
12	12	48,60,72
12	15	48,60,72
12	18	48,60,72
15	12	48,60,72
15	15	48,60,72
15	18	48,60,72
18	12	48,60,72
18	15	48,60,72
18	18	48,60,72




Three Tier

W"	D"	H"
12	12	60,72
12	15	60,72
12	18	60,72
15	12	60,72
15	15	60,72
15	18	60,72
18	12	60,72
18	15	60,72
18	18	60,72

dizard

Five Tier

W"	D"	H"
12	12	60,72
12	15	60,72
12	18	60,72
15	12	60,72
15	15	60,72
15	18	60,72
18	12	60,72
18	15	60,72
18	18	60,72




Four Tier


W"	D"	H"
12	12	48,60,72
12	15	48,60,72
12	18	48,60,72
15	12	48,60,72
15	15	48,60,72
15	18	48,60,72
18	12	48,60,72
18	15	48,60,72
18	18	48,60,72

Six Tier

W"	D"	H"
12	12	72
12	15	72
12	18	72
15	12	72
15	15	72
15	18	72
18	12	72
18	15	72
18	18	72




FRONT VIEW



- 72" maximum locker height.
- Lock options include padlocks, key locks, combination locks, and coin locks.
- Slope top option prevents trash accumulation on top of lockers.
- Locker number plates are yet another available option.

White L-01



Teal L-10



Yellow L-13




Soft Blue L-07



Gray L-00




Royal Blue L-03



Beige L-02



Burgundy L-11



Red L-14



Color Schemes for TuffTec Lockers